

DATASHEET

VESA SPEAKER MOUNT | VSM (55" - 65") / VSM XL (75" - 98")
FOR P / PB XX SPEAKER SYSTEMS

The **VESA speaker mounts VSM (55" - 65")** and **VSM XL (75" - 98")** from the Pan Accessories series are vario adapters that are used to mount **Pan Beam, Pan Speaker, Pan EVAC, Pan 2-Line and Pan AMT speaker systems** of the P / PB xx models on the side of displays.

The accessories are made of steel and have a powder coating. The bracket is designed for simple and flexible mounting of the loudspeakers and consists of only a few parts. The VSM is mounted between the display and the VESA display mount.

The speakers are fixed by means of slidingblocks over the rear groove. The bracket enables mounting of the loudspeakers, flush with the front of the display.

Depending on the display size, the VSM variant VSM or VSM XL should be used. The VSM can be used with all common display manufacturers. The bracket supports all common VESA hole patterns.



EQUIPMENT / OPTIONS



See last page for explanation of the symbols.

APPLICATIONS

Speaker mounting on displays


All **Pan Acoustics** loudspeakers and the corresponding accessories are designed, developed and manufactured in Germany by Pan Acoustics according to strict criteria and with high-quality materials.

TECHNICAL DATA: VESA SPEAKER MOUNT | VSM (55" - 65")

MECHANICAL PROPERTIES

Material:	Steel
Load capacity:	max. 8 kg per speaker
Standard colour:	RAL 9005, powder coated
Supported display sizes:	55", 65"
Supported VESA hole patterns:	
Category: 55"	VESA H: 200/300/400 VESA V: 200/300/400
Category: 65"	VESA H: 300/400/600 VESA V: 200/300/400
Weight per mount:	8 kg

TECHNICAL DRAWING: VESA SPEAKER MOUNT | VSM (55" - 65")



Doc.-Nr.: 01664.V1 - 09.2022 [Translation based on German version]



All products are designed, developed and manufactured by Pan Acoustics in Germany.
Pan Acoustics reserves the right to modify products without prior notice.


www.pan-acoustics.de

TECHNICAL DATA: VESA SPEAKER MOUNT | VSM XL (75" - 98")

MECHANICAL PROPERTIES

Material:	Steel
Load capacity:	max. 8 kg per speaker
Standard colour:	RAL 9005, powder coated
Supported display sizes:	75" - 98"
Supported VESA hole patterns:	
Category: 75"	VESA H: 400/600/800 VESA V: 200/300/400/600
Category: 86"	VESA H: 400/600/700/800 VESA V: 200/300/400/600
Category: 98"	VESA H: 800 VESA V: 400/600
Weight per mount:	11.4 kg

TECHNICAL DRAWING: VESA SPEAKER MOUNT | VSM XL (75" - 98")



Doc.-Nr.: 01664.V1 - 09.2022 [Translation based on German version]



All products are designed, developed and manufactured by Pan Acoustics in Germany.
Pan Acoustics reserves the right to modify products without prior notice.

www.pan-acoustics.de



EQUIPMENT / OPTIONS AT GLANCE – ACCESSORIES



Customised painting/colouring within the RAL colour range. Other colour systems such as RAL design, Pantone, etc. are available on request.



Looks good, sounds good. Pan Acoustics' products are defined by natural sound and attractive design.

Some equipment features cannot be combined. For information about which features can be combined with each other, please send an e-mail to sales@pan-acoustics.de.

Our quality promise

Pan Acoustics stands by its products and gives up to **10 years warranty** on its loudspeakers for any material or manufacturing defects. New products manufactured in accordance with protection classes IP54 and IP65 as well as digital audio interfaces (Dante®) from Audinate Pty Ltd and rechargeable batteries are excluded from the 10-year warranty. A warranty period of 3 years is granted for loudspeakers in accordance with protection classes IP54 and IP65.

